



BIOSWALE PLANTER MEDIA/SOIL ***“LOW PERCOLATION BLEND”***

1. **Upper Layer Mix Proportions:** 60% Class A Topsoil: 30% Humic Compost: 10% AXIS®
2. **Lower Layer Mix Proportions:** 90% Class A Topsoil: 10% AXIS®
3. **Components**
 - a. Class A Topsoil as per CA Greenbook Standards and must be classified “Sandy Loam” as per USDA Soil Classification Criteria
 - b. AXIS®
 - c. Well Aged Humic Compost
4. **Blending:** Material shall be blended prior to delivery by a twin screw pug mill or equal. Bucket blending is not equal.
5. **Supplier:** Gail Materials (951) 667-6106 www.gailmaterials.net
6. **Installation:** Placement of the **Upper Layer Mix** shall be in the upper 12-18” of the planter(s) only. If the planter(s) is deeper than 12-18” the **Lower Layer Mix** must be placed to the entire remaining depth of the planter(s) *no organic matter below 12-18”*. If suitable the native soil can amended with 10% Axis and used as the bottom layer.